

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S226	7668	(bet better betting vager vagner vagring vagerer stake staked staking gamble gambled gambling gambler) near20 (data content information)	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:01
S227	610	S226 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (capability))	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:12
S228	228	S227 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (reception transmission))	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:12
S229	4	S228 and ((computer or ((computing computer) adj3 (system device apparatus machine)) or terminal or client or workstation) near20 ((time adj1 window) or (window adj2 time) or (elapsed3 near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time)))	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:29
S230	19	S228 and ((content data information) near20 ((time adj1 window) or (window adj2 time) or (elapsed3 near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time)))	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:30
S232	16	S230 not S229	US-PG/PUB; USPAT	OR	ON	2008/03/13 11:41
S233	44	S228 and (capability near15 (reception transmission))	US-PG/PUB; USPAT	OR	ON	2008/03/13 13:23
S234	16	S233 and ((time adj1 window) or (window adj2 time) or (elapsed3 near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time))	US-PG/PUB; USPAT	OR	ON	2008/03/13 13:24
S235	20	"20020130846" "20020169514" "20030013512" "20030027631" "20030054875" "20030064805" "2003006648" "20030078798" "20040038646" "20040103165" "20040176929" "20040260994" "2005028934" "594740" "5611730" "5845203" "5933479" "5999808" "6385621" "6694621".PN.	US-PG/PUB; USPAT; USOCR	OR	ON	2008/03/13 14:15
S236	3	S235 and ((time adj1 window) or (window adj2 time) or (elapsed3 near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:15
S237	18	S235 and (capability reception transmission)	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:15
S238	3	S236 and (capability reception transmission)	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:15
S239	15	S237 not S238	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:16
S240	62766	(bet better betting vager vagner vagring vagerer stake staked staking gamble gambled gambling gambler) and (data content information)	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:43
S241	1783	S240 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (capability))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:44
S242	775	S241 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (reception receiving))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:45
S243	468	S242 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (transmission transmitting))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:45

S244	415	S243 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near10 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:46
S245	240	S244 and ((capability reception transmission) near12 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:47
S246	112	S245 and (((time adj1 window) or (window adj2 time) or (elapsed near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:47
S247	51	S246 and (((time adj1 window) or (window adj2 time) or (elapsed near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time)) near20 (response respond responding or answer or answered or answering or reply or replied or replying))	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:49
S248	51	S247 not S237 not S238	US-PG/PUB; USPAT	OR	ON	2008/03/13 14:56
S249	89240	((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near20 (capability))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:28
S250	56020	S249 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near12 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:29
S251	11928	S250 and ((capability near12 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:29
S252	5124	S251 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near12 (transmission transmitting))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:30
S253	2770	S252 and ((transmission transmitting) near12 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:30
S254	2104	S253 and ((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near12 (reception receiving))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:31
S255	1488	S254 and ((reception receiving) near12 (first second different))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:31
S256	491	S255 and ((reception receiving) near12 capability)	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:32
S257	342	S256 and ((transmission transmitting) near12 capability)	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:32
S258	5	S257 and (((time adj1 window) or (window adj2 time) or (elapsed near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time)) near20 (response respond responding or answer or answered or answering or reply or replied or replying))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:34
S259	88	S257 and (((time adj1 window) or (window adj2 time) or (elapsed near3 time) (enough adj2 time) or (adequate adj2 time) or (equable adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time) or (time near4 appropriate))	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:35
S260	4	S258 not S247 not S237 not S238	US-PG/PUB; USPAT	OR	ON	2008/03/13 16:36
S262	83	S259 not S258 not S247 not S237 not S238	US-PG/PUB; USPAT	OR	ON	2008/03/13 17:31

S263	39281	((computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation) near10 (detect or detected or detecting or detection or recognize or recognized or recognizing or recognition or identify or identified or identifying or determin53 or defin53 or check53 or judg53 or perceiv53 or establish53)) and ((detect or detected or detecting or detection or recognize or recognized or recognizing or recognition or identify or identified or identifying or determin53 or defin53 or check 53 or judg53 or perceiv53 or establish53) near10 (capability))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:09
S264	6266	S263 and ((reception receiv53) near10 (capability))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:10
S265	2277	S264 and ((transmission transmit53) near10 capability)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:10
S266	180	S265 and (computer or ((computing computer) adj2 (system device apparatus machine)) or terminal or client or workstation or equipment) near20 ((time adj1 window) or (window adj2 time) or (elapsed53 near3 time) (enough adj2 time) or (adequate adj2 time) or (equible adj2 time) or (sufficient adj2 time) or (satisfactory adj2 time) or (proper adj2 time) or (time near1 appropriate))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:12
S267	166	S266 not S259 not S258 not S247 not S237 not S238	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:14
S268	16498	interactive near10 (gui interface)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S269	7617	S268 and ((double two separate multi different separate) near6 (gui interface window pane panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S270	2841	S269 and ((answer53 response response53 responsive) near6 (gui interface window pane panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S271	2610	S270 and ((interactive service provider) near6 (gui interface window pane panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S272	746	S271 and ((realtime or (not adj3 time) or live) near15 (gui interface window pane panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S273	663	S272 and ((custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (gui interface window pane panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S274	603	S273 and ((custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (content data information))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S275	220	S274 and ((custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (preference))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S276	211	S275 and ((client computer device) near10 (capability reception receiving receptor transmission transmitting transmit transmitted bandwidth capacity ability connection))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S277	70	S268 and ((bet betted better betting wager wagered wagering, wager stake staked staking gamble gambled gambling gambler) near20 (gui interface))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28

S278	29	S277 and ((answer\$3 response respond\$3 responsive) near10 (gui interface))	US-PG;PUB; USPAT	OR	ON	2008/03/13 19:28
S279	34402	((715/733,738,744,747,764,765,846,866) or (705/37,500) or (707/1,3,10) or (463/25,31,40,42,43)).CCLS	US-PG;PUB; USPAT	OR	OFF	2008/03/13 19:28
S280	205307	((configure or configured or configuring or configurable or custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or modify or modified or modifying or modifiable or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (capability reception receiving receptor transmission transmitting transmit transmitted bandwidth capacity ability connection equipment) and ((capability capacity ability connection equipment) near10 (transmission transmitting transmit transmitted bandwidth reception receiving receptor))	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S281	116564	S280 and ((configure or configured or configuring or configurable or custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or modify or modified or modifying or modifiable or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (page content data display information))	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S282	5252	S281 and ((configure or configured or configuring or configurable or custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or modify or modified or modifying or modifiable or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (preference))	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S283	3426	S282 and ((preference) near10 (page content data display information))	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S284	122	S276 and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidently) near10 (data content information)) and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidently) near10 (gui interface window pane paned panel workspace))	US-PG;PUB; USPAT	OR	ON	2008/03/13 19:28
S285	122	S284 not S278	US-PG;PUB; USPAT	OR	ON	2008/03/13 19:28
S286	34614	((715/733,738,744,747,764,765,846,866) or (705/37,500) or (707/1,3,10) or (463/25,31,40,42,43)).CCLS	US-PG;PUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 19:28
S287	3323	S286 and (bet betted better betting wager wagered wagering wagger stake staked staking gamble gambled gambling gambler)	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S288	1777	S287 and (interact interacted interactive interaction interacting)	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S289	1144	S288 and (realtime or (real adj3 time) or (on adj3 fly) or live)	US-PG;PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28

S290	951	S289 and (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S291	327	S290 and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S292	326	S291 and ((custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (capability client reception receiving receptor transmission transmitting transmit transmitted bandwidth capacity ability connection equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S293	163	S292 and ((custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near10 (gui interface window pane paned panel workspace))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S294	301	S283 and ((preference near10 (save saved saving store stored storing) same (server provider) near10 (save saved saving store stored storing) same (server provider) near10 (preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S295	92	S294 and ((interactive52) near10 (page content data display information) and ((real adj1 time) realtime)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S296	346	((bet betted better betting wager wagered wagering wagerer stake staked staking gamble gambled gambling gambler) same (interact interacted interactive interaction interacting) same (realtime or (real adj3 time) or (on adj3 fly) or live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S297	123	S296 and ((configure or configured or configuring or configurable or custom or customize or customized or customizing or edit or edited or editor or editing or personalize or personalized or personalizing or personified or tailor or tailoring or tailored or update or updated or updating or (up adj3 date) or modify or modified or modifying or alter or altered or altering or alteration or change or changed or changing or vary or varying or varied) near5 (capability reception receiving receptor transmission transmitting transmit transmitted bandwidth capacity ability connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S298	51	S297 and ((capability capacity ability connection equipment) near10 (transmission transmitting transmit transmitted bandwidth reception receiving receptor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S299	156	S293 not S285	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 19:28
S300	16498	interactive near10 (gui interface)	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S301	70	S300 and ((bet betted better betting wager wagered wagering wagerer stake staked staking gamble gambled gambling gambler) near20 (gui interface))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S302	5	S301 and (pic (picture adj3 picture))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28

S303	44	((gui interface window pane paned panel workspace) near10 (bet betted better betting wager wagered wagring wagner stake staked staking gamble gambled gambling gambler)) and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidentally) near10 (data content information)) and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidentally) near10 (gui interface window pane paned panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S304	1	S303 and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidentally) near10 (answer53 response respond53 responsive) near5 (gui interface window pane paned panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S305	0	S304 and (pip (picture adj3 picture))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S306	341	((bet betted better betting wager wagered wagring wagner stake staked staking gamble gambled gambling gambler) some ((capability capacity ability connection equipment) near10 (transmission transmitting transmit transmitted bandwidth reception receiving receptor)))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S307	116	S306 and interactive and (gui interface)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S308	107	S307 and (((capability capacity ability connection equipment) and (transmission transmitting transmit transmitted bandwidth reception receiving receptor))) near20 (device computer machine)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S309	10	S308 and ((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidentally) near10 (answer53 response respond53 responsive))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S310	444	((simultaneous or simultaneously or contemporary or contemporaneous or contemporaneously or synchronous or synchronously or concurrent or concurrently or coincident or coincidentally) near5 (answer53 response respond53 responsive) near6 (gui interface window pane paned panel workspace))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S311	34	S308 and ((gui interface window pane paned panel workspace) near5 (two multi double second))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S312	12	S310 and (bet betted better betting wager wagered wagring wagner stake staked staking gamble gambled gambling gambler)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S313	10	S309 and ((gui interface window pane paned panel workspace) near5 (two multi double second))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S314	5	S302 and ((capability capacity ability connection equipment) near10 (transmission transmitting transmit transmitted bandwidth reception receiving receptor))	US-PG/PUB; USPAT; EPO; JPO; DERWENT; IBM; TDB	OR	ON	2008/03/13 19:28
S315	12	S303 and (pip (picture adj3 picture))	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S316	34402	((715/733,738,744,747,764,765,846,866) or (705/37,300) or (707/13,110) or (463/25,31,40,42,43)).CCLS	US-PG/PUB; USPAT	OR	OFF	2008/03/13 19:28
S317	2636	S316 and (communicat54 near10 channel) and server	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S318	2627	S317 and (client computer device)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28
S319	358	S318 and (bet betted better betting wager wagered wagring wagner stake staked staking gamble gambled gambling gambler) and (gui interface window pane51)	US-PG/PUB; USPAT	OR	ON	2008/03/13 19:28

S320	358	S319 and ((additional or supplemental or supplementary or complement or complementing or complementary or further or more or extra or detailed or relevant or related or in-depth or pertinent) near10 (content data information interacti55 game bid bidding))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S321	248	S320 and ((gui interface window pane51 content data information interacti55 game bid bidding) near20 (response respond53 answer feedback))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S322	148	S321 and ((gui interface window pane51) near15 (two double pined first second separate different plurality or multi or multiple or multiplicity or multitude or diverse or different or many or group or grouping or variety or various or several or (number adj1 of) or (more adj3 one) or (two adj3 more) or second or secondary or third or dual or three or bunch or compound or composite or numerous or collection or (multi adj1 (user or viewer)) or set or population or pool or army or integrated))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S323	142	S322 and (provider or source dealer party)	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S324	23	S323 and (transmi55 near6 speed)	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S325	23	S324 and (transmi55 near10 (data content information))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S326	17	S325 and ((first second) near6 (client computer device))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S327	1153	S316 and (communicat54 near10 channel) same server	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S328	931	S327 and ((communicat54 near10 channel) same (client computer device))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S329	17	S328 and ((bet betted better betting wager wagered wagering wagener stake staked staking gamble gambled gambling gambler) near15 (gui interface window pane51))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S330	6	S329 and ((bet betted better betting wager wagered wagering wagener stake staked staking gamble gambled gambling gambler) near15 (interacti56))	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S331	16	S326 not S330	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S332	7	S325 not S331	US-PGPUB; USPAT	OR	ON	2008/03/13 19:28
S335	706853	(computer device client) near15 (capability reception transmission transmi54)	US-PGPUB; USPAT	OR	ON	2008/03/28 10:11
S336	156927	S335 and ((computer device client) near15 (difference or different or differ or differing or differentiate or differentiated or differentiating or differentiation or separate or dissimilar or dissimilarly or dissimilarity or distinct or distinctive or particular or various or incompatible or diverse or disparate)) and ((difference or different or differ or differing or differentiate or differentiated or differentiating or differentiation or separate or dissimilar or dissimilarly or dissimilarity or distinct or distinctive or particular or various or incompatible or diverse or disparate) near15 (capability reception transmission transmi54))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:14
S337	27371	S336 and ((interactive (real adj1 time) realtime) near12 (data content information))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:17
S338	20990	S337 and ((adapt or adapted or adapting or adaptable or adaptive or modify or modified or modifying or modification or modifiable or alter or altered or altering or alteration or alterable or change or changed or changing or adjust or adjusted or adjusting or adjustment or adjustable or configure or configured or configuring or configuration or configurable or format or formatted or formatting) near12 (data content information))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:19

S339	19118	S338 and ((adapt or adapted or adapting or adaptable or adaptive or modify or modified or modifying or modification or modifiable or alter or altered or altering or alteration or alterable or change or changed or changing or adjust or adjusted or adjusting or adjustment or adjustable or configure or configured or configuring or configuration or configurable or format or formatted or formatting) near15 (capability reception transmission transmit54))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:19
S340	988610	7and ((computer device client) near20 (time (time adj1 window) timewindow (adequate proper) adj3 window) speed))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:22
S342	267794	S340 and ((time or (time adj1 window) or (adequate proper (equable sufficient satisfactory enough) adj3 (window speed)) or speed or (window adj1 time) or (elapsed3 near3 time) or timewindow) near15 (response respond responded responding or answer or answered or answering or reply or replied or replying or enter entering selection entry))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:29
S343	4826	S341 and ((time or (time adj1 window) or (adequate proper (equable sufficient satisfactory enough) adj3 (window speed)) or speed or (window adj1 time) or (elapsed3 near3 time) or timewindow) near10 (valid validate validated validating) and (response respond responded responding or answer or answered or answering or reply or replied or replying or enter entering selection entry) near10 (valid validate validated validating))	US-PGPUB; USPAT	OR	ON	2008/03/28 10:30
S344	212	S343 and (bet betted better betting wager wagered wagering wagerer stake staked staking gamble gambled gambling gambler)	US-PGPUB; USPAT	OR	ON	2008/03/28 10:31
S346	693767	(computer device client machine) near10 (capability reception transmission transmit54)	US-PGPUB; USPAT	OR	ON	2008/03/28 13:06
S347	137463	S346 and ((computer device client machine) near10 ((difference or different or differ or differing or differentiate or differentiated or differentiating or differentiation or separate or dissimilar or dissimilarity or dissimilarity or distinct or distinctive or particular or various or incompatible or diverse or disparate)) and ((difference or different or differ or differing or differentiate or differentiated or differentiating or differentiation or separate or dissimilar or dissimilarity or dissimilarity or distinct or distinctive or particular or various or incompatible or diverse or disparate) near10 (capability reception transmission transmit54))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:07
S348	24053	S347 and ((interactive (real adj1 time) realtime) near10 (data content information))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:07
S349	22089	S348 and ((adapt or adapted or adapting or adaptable or adaptive or modify or modified or modifying or modification or modifiable or alter or altered or altering or alteration or alterable or change or changed or changing or adjust or adjusted or adjusting or adjustment or adjustable or configure or configured or configuring or configuration or configurable or format or formatted or formatting) near12 (data content information))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:07
S350	16483	S349 and ((adapt or adapted or adapting or adaptable or adaptive or modify or modified or modifying or modification or modifiable or alter or altered or altering or alteration or alterable or change or changed or changing or adjust or adjusted or adjusting or adjustment or adjustable or configure or configured or configuring or configuration or configurable or format or formatted or formatting) near10 (capability reception transmission transmit54))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:08

S351	9020	S350 and ((time or (time adj1 window) or (window adj2 time) or (elapsed3 near4 (time period interval)) or ((prescribed or adequate or equable or enough or sufficient or satisfactory or proper or appropriate or predetermined or predefined or determined or defined or specified or specific or given or valid or allotted or allocated) adj4 (time period interval)) or (time near1 limit53) or ('same' adj1 time) or timewindow) near12 (response respond responded replying or answer or answered or answering or reply or replied or replying or enter entering selection entry))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:19
S352	2423	S351 and ((time or (time adj1 window) or (window adj2 time) or (elapsed3 near4 (time period interval)) or ((prescribed or adequate or equable or enough or sufficient or satisfactory or proper or appropriate or predetermined or predefined or determined or defined or specified or specific or given or valid or allotted or allocated) adj4 (time period interval)) or (time near1 limit53) or ('same' adj1 time) or timewindow) near12 (validate or validated or validating or valid or validation or validity or verify verified verification))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:22
S353	1376	S352 and ((response respond responded responding or answer or answered or answering or reply or replied or replying or enter entering selection entry or submit54 or submission) near10 (validate or validated or validating or valid or validation or validity or verify verified verification))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:25
S356	1259	S353 and ((computer device client machine) near10 (time or (time adj1 window) or (window adj2 time) or (elapsed3 near4 (time period interval)) or ((prescribed or adequate or equable or enough or sufficient or satisfactory or proper or appropriate or predetermined or predefined or determined or defined or specified or specific or given or valid or allotted or allocated) adj4 (time period interval)) or (time near1 limit53) or ('same' adj1 time) or timewindow))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:27
S357	1057	S356 and ((computer device client machine) near20 (validate or validated or validating or valid or validation or validity or verify verified verification))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:28
S358	949	S357 and ((computer device client machine) near20 (response respond responded responding or answer or answered or answering or reply or replied or replying or enter entering selection entry or submit54 or submission))	US-PGPUB; USPAT	OR	ON	2008/03/28 13:29
S359	34655	((715/733,738,744,747,764,765,846,866) or (705/37,500) or (707/1,3,10) or (463/25,31,40,42,43)).CCLS	US-PGPUB; USPAT	OR	OFF	2008/03/28 13:29
S360	66	S358 and S359	US-PGPUB; USPAT	OR	ON	2008/03/28 13:29
S361	47	S360 not S344	US-PGPUB; USPAT	OR	ON	2008/03/28 13:30

3/29/2008 7:44:42 PM

C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\9981688am.wsp